


# 2400 Series Flexible PVC Swing Doors

Retail Outlets  
Food Production  
Medical



## Why choose 2400 Series Flexible PVC Swing Doors

EBS 2400 Series Flexible PVC Swing Doors are custom manufactured.

The benefits are clear.

Manufactured using 7mm thick quality Duraflex or Polaflex PVC, anodised aluminium extruded frame, acetal bearings and pivots, stainless steel fasteners all put together have made the outstanding 2400 Series Swing Door take 1st place.

When creating an effective environmental barrier, self-closing double swinging doors are extremely user friendly. Fully adjustable to suit light pedestrian applications up to industrial forklift traffic.

It's your image. With an impressive range of options to blend functionality with today's vivid retail decor or the crisp clean look of a hospital theatre or prep room.

EBS 2400 Series Flexible PVC Swing Doors are custom manufactured to meet your needs



# 2400 Series Flexible PVC Swing Doors

## Product examples



Fully adjustable to suit all applications



An impressive range of options to blend functionality with today's vivid decor



# 2400 Series Flexible PVC Swing Doors

## Features

### Mechanisms

- Lubrication free
- Fully adjustable alignment and tension
- Stainless steel pivot shafts
- Stainless steel spring optional



### Extrusion / Gasket

- Anodised aluminium (silver) for maximum protection
- Full floating PVC panel retaining spine minimises PVC fatigue
- Easy cleaning
- Santoprene blade seal ensures energy and hygiene control
- Fully capped frame



### Lower Pivot / Upper Pivot

- Lubrication free
- Non-corrosive
- Acetal bearing / Nylon pivot



### Gusset

- Fully gusseted robust frame
- No welding in construction ensures a clean neat finish

